

New ARRIVALS

2025



RV GUARDIAN RV BUILT-IN SOCKETS








RVGUARDIAN RV BUILT-IN SOCKETS

RV BUILT-IN GRAVITY WATER INLET	06
RV BUILT-IN POWER INLET	06
RV BUILT-IN EXTERIOR SHOWER KIT	07
RV BUILT-IN MIXER SHOWER KIT	07
RV BUILT-IN POWER OUTLET	08
RV GAS OUTLET	08



RV BUILT-IN GRAVITY WATER INLET KDAS-Z01 PLUS

- High performance engineering plastic housing, with good corrosion resistance and food grade.
- Dimensions (W x H x D): 118x137x16mm.
- Color: White, black/grey.
- Installation aperture: \varnothing 96mm.
- Diameter of interior connection 1-1/2 inch.
- 4 x ST4.2*25 countersunk head self tapping screws for front installation, screw aperture 4.5mm. Sides spacing: 92mm(horizontal), 92mm(vertically), 130mm (diagonal line).



RV BUILT-IN POWER INLET KDAD-16A PLUS

- High performance engineering plastic housing, with good corrosion resistance.
- Applicable to 230V/16A.
- Dimensions (W x H x D): 118x137x16mm.
- Color: White, black/grey.
- Installation aperture: \varnothing 96mm.
- Protection Class: IP44.
- 4 x ST4.2*25 countersunk head self tapping screws for front installation, screw aperture 4.5mm. Sides spacing: 92mm (horizontal), 92mm (vertically), 130mm(diagonal line).



RV BUILT-IN EXTERIOR SHOWER KIT KDAS-L01 PLUS

- High performance engineering plastic housing, with good corrosion resistance.
- Dimensions (W x H x D): 118x137x16mm.
- Color: White, black/grey.
- Installation aperture: Ø 96mm.
- Quick connect shower head with 1.5m hose.
- Food grade tap as optional, interchangeable with shower kit.
- 4 x ST4.2*25 countersunk head self tapping screws for front installation, screw aperture 4.5mm. Sides spacing: 92mm (horizontal), 92mm (vertically), 130mm(diagonal line).



RV BUILT-IN MIXER SHOWER KIT KDAS-L02 PLUS

- High performance engineering plastic housing, with good corrosion resistance.
- Dimensions (W x H x D): 118x137x16mm.
-
- Installation aperture: Ø 96mm.
- Quick connect shower head with 1.5m hose.
- Hot and cold water mixture, pluggable control lever, rotating to adjust the water temperature.
- 4 x ST4.2*25 countersunk head self tapping screws for front installation, screw aperture 4.5mm. Sides spacing: 92mm (horizontal), 92mm (vertically), 130mm(diagonal line).



RV BUILT-IN POWER OUTLET

KDAQ-16A PLUGS

- High performance engineering plastic housing, with good corrosion resistance.
- Applicable to 250V/16A, 5V/2100mA.
- Dimensions (W x H x D): 118x137x16mm.
- Color: White, black.
- Installation aperture: \varnothing 96mm.
- Protection Class: IP44.
- 4 x ST4.2*25 countersunk head self tapping screws for front installation, screw aperture 4.5mm. Sides spacing: 92mm(horizontal), 92mm(vertically), 130mm (diagonal line).



RV GAS OUTLET

KDAR-Q01 PLUS

- High performance engineering plastic housing, with good corrosion resistance.
- Applicable to RV gas outlet.
- Dimensions (W x H x D): 118x137x16mm.
- Color: White, black.
- Installation aperture: \varnothing 96mm.
- Protection Class: IP44.
- 4 x ST4.2*25 countersunk head self tapping screws for front installation, screw aperture 4.5mm. Sides spacing: 92mm(horizontal), 92mm(vertically), 130mm (diagonal line).

ARANA LIVING TECHNOLOGY (SHANDONG) CO., LTD.

Room 2306, Building #2, Silver Crystal Plaza, No. 66 East Shunhe Road
Shizhong District, Jinan City, Shandong Province, China 250012
+86 531 8889 4655 · 400 110 1890 · www.arana.com.cn

