RV POWERED CEILING FANS

2021





TABLE OF CONTENT

RV CEILING FANS		PAGE
01	RV Ceiling FanT1000/T1250	5
02	RV Ceiling FanT2000/T2150	6
03	RV Ceiling FanT3000/T3150	7
04	RV Ceiling FanT5000/T5150	8
05	Sunshade LED Panel	9



RV CEILING FANS

- Electrical model: electrical lid lift and closing, manual mode and infrared remote control available.
- Manual model: improved worm and wheel structure to narrow the running gap and make lifting smoother. Knob locking function available to avoid wind leaking and noise whilst driving. Upgrade to electric model as optional (KIT upgrading).
- Intaking and exhausting function, bringing in fresh air and removing the hot musty air and odors. The unique plasma air purification function to make the inside air fresh.
- Temperature sensor, operating automatically according to the setting temperature.
- Rain sensor, closing in rainy days. Unique wind sensor function to make lid closed automatically in high winds or whilst driving at high speed to avoid damage.
- The unique closed design of motor support rod, increasing the structural strength, decreasing the structural damage, it can be used under the condition of low driving speed, and all the materials are with good quality of weather resistance.

- 485 interface (connecting with the vehicle central control system to achieve unified control).
- Internet remote control to achieve ventilation control at long distance by using APP on the phone.
- Easy to remove interior insect screen, no tools required.
- Added indoor shade and LED lighting panel, to solve shading problems and add lighting function practicably (a separate product, applicable for all fans in the market).
- Gas and carbon monoxide alarm function available, fans automatically run to discharge harmful gas from vehicle or reduce the density of harmful gas quickly to maximize air safety inside vehicle when induction service alarming.
- All-weather function package to achieve using in all conditions (moving, raining), fanless ventilation and air circulation to lower temperature (KIT upgrading).





Basic model				
Model	T1000	T1150		
Lid Opening	Manually	Manually		
Fan Speed	6	6		
Touch Button	\checkmark	\checkmark		
Thermostat				
Intaking & Exhausting	\checkmark	\checkmark		
Wireless Control				
Rain Sensor				
Ceiling Fan	\checkmark	\checkmark		
Air Purification				
Integrated Control				
Remote Control				
Automatic Closing when Driving				
Wind Discharging Against Smog Alarming				
Lid Color	Smoke	White		
Sunshade/LED light	Optional	Optional		
Opening size	360X360	360X360		
Installation thickness	48mm~134mm	48mm~134m		

T1000/T1150

Optional:

Sunshade/LED lighting

- 6-speed fan;
- Manual lid lift/closing;
- Touch button;
- Intaking & exhausting;
- Ceiling fan;
- Removable insect screen;
- Silent operation with high air flow.







Plus Model				
Model	T2000	T2150		
Lid Opening	Manually	Manually		
Fan Speed	8	8		
Touch Button	\checkmark	\checkmark		
Thermostat				
Intaking & Exhausting	\checkmark	\checkmark		
Wireless Control				
Rain Sensor				
Ceiling Fan	\checkmark	\checkmark		
Air Purification				
Integrated Control				
Remote Control				
Automatic Closing when Driving				
Wind Discharging Against Smog Alarming				
Lid Color	Smoke	White		
Sunshade/LED light	Optional	Optional		
Opening size	360X360	360X360		
Installation thickness	48mm~134mm	48mm~134mn		

T2000/T2150

Optional:

Sunshade/LED lighting

- 8-speed fan;
- Manual lid lift/closing;
- Touch button;
- Intaking & exhausting;
- Ceiling fan;
- Removable insect screen;
- Silent operation with high air flow.







	Deluxe Model	
Model	T3000	T3150
Lid Opening	Electrical	Electrical
Fan Speed	10	10
Touch Button		
Thermostat	\checkmark	\checkmark
Intaking & Exhausting	\checkmark	\checkmark
Wireless Control	\checkmark	\checkmark
Rain Sensor	\checkmark	\checkmark
Ceiling Fan	\checkmark	\checkmark
Air Purification	Optional	Optional
Integrated Control	Optional	Optional
Remote Control	Optional	Optional
Automatic Closing when Driving	Optional	Optional
Wind Discharging Against Smog Alarming	Optional	Optional
Lid Color	Smoke	White
Sunshade/LED light	Optional	Optional
Opening size	360X360	360X360
Installation thickness	48mm~134mm	48mm~134mm

T3000/T3150

Optional:

Sunshade/LED lighting

- 10-speed fan;
- Manual lift/closing lid;
- Touch button;
- Intaking & Exhausting;
- Remote control with fixing bracket on the wall;
- Thermostat to control room temperature;
- Rain sensor, closing automatically when it rains;
- Ceiling fan;
- Removable insect screen;
- Silent operation with high air flow.







Internet Control Modell				
T5000	T5150			
Electrical	Electrical			
10	10			
\checkmark	\checkmark			
Optional	Optional			
\checkmark	\checkmark			
\checkmark	\checkmark			
\checkmark	\checkmark			
Optional	Optional			
Smoke	White			
Optional	Optional			
360X360	360X360			
48mm~134mm	48mm~134mm			
	T5000 Electrical 10			

T5000/T5150

Optional:

Sunshade/LED lighting

- 10-speed fan;
- Electrical lift/closing lid;
- Touch button;
- Intaking & Exhausting;
- Remote control with fixing bracket on the wall;
- Thermostat to control room temperature;
- Rain sensor, closing automatically when it rains;
- Vehicle central control;
- Internet remote control;
- Air protection (wind discharging against smog alarming);
- Ceiling fan;
- Removable insect screen;
- Silent operation with high air flow.











Sunshade LED Panel


Features:

- Remote control/manual control
- Light adjust by two levels
- Sliding sunshade

Note:

- Suitable for all 360*360 opening ceiling fans
- The window knob should not be higher than the interior to ensure the normal use of shading function





LEGEND:





TOUCH BUTTON



EASY ASSEMLY



INTAKING & EXHAUSTING



HIGH AIR FLOW





WIRELESS CONTROL

⟨₺⟩ THERMOSTAT



REMOTE CONTROL

INTEGRATED CONTROL



AUTOMATIC CLOSING

((%)) RAIN SENSOR



AIR PROTECTION



AIR PURIFICATION



SLIDING SUNSHADE

